

New York Implementation Standard

For

Sstandard Electronic Transactions

TRANSACTION SET

503

Pricing History Request & Response

Ver/Rel 004010

	Summary of Changes
July 24, 2015	Version 1.0 Initial Release

	<p>Notes pertaining to the use of this document</p>
<p>Purpose</p>	<ul style="list-style-type: none"> This 503 Pricing History Transaction Set is used to request bill amounts for what the utility would have charged the Customer if it had been the supplier during historic periods for which the requesting ESCO provided supply service to the Customer.
<p>One account per 503</p>	<ul style="list-style-type: none"> Each transaction may contain only one account for one commodity (i.e. electric or gas). ESCO's who want to receive a customer's pricing history for both electric and gas service must transmit two 503 pricing history requests – one for the electric pricing history and another for the gas pricing history.
<p>All meters per account</p>	<ul style="list-style-type: none"> Except for requests sent to a utility that supports separate enrollment of the un-metered electric service for accounts, an EDI request for pricing history is a request for history data for all service delivery points (metered and/or un-metered) for the account requested for the commodity indicated. In a service territory where the utility supports separate enrollment of the un-metered electric service for accounts, when both metered and un-metered electric service is present on an account, an ESCO may separately request pricing history for the electric un-metered service on an account when both metered and un-metered service are present on the same account. To request pricing history only for the un-metered service on the account the REF03 element in the REF*12 (Utility Account Number) segment should be transmitted.
<p>Validation Fields</p>	<ul style="list-style-type: none"> Transactions will be validated based on the customer's utility account number (with check digit, if included).
<p>503 Response is Required</p>	<ul style="list-style-type: none"> The Utility must return an 503 response, either positive or negative, for each history request received.
<p>Cross referencing Request and Response transactions</p>	<ul style="list-style-type: none"> The BGN02 element in the BGN segment received on a Request transaction must be returned in the BGN06 element of the BGN segment sent in the Response transaction. There must be one Response LIN for each Request LIN sent. The response to LIN loop on the Request must be uniquely identified in the LIN loop on the Response with the same identification sent in the request LIN01.

Implementation Guideline Field Descriptions

Segment: **REF** Reference Identification (Utility Customer Account Number)
Position: 050
Loop:
Level: Heading
Usage: Optional (Must Use)
Max Use: 1
Purpose: To specify identifying information
Syntax Notes:
 1 At least one of REF02 or REF03 is required.
 2 If either C04003 or C04004 is present, then the other is required.
 3 If either C04005 or C04006 is present, then the other is required.
Semantic Notes:
 1 REF04 contains data relating to the value cited in REF02.
Comments:
Notes: Required

This section shows the X12 Rules for this segment but the Usage and Max Use fields will also reflect NY rules. For Usage, “Optional (Must Use)” means that this segment is Optional for X12, but is required in NY. “Optional (Dependent)” means Optional for X12, but use is conditional in NY. The gray boxes below should also be reviewed for additional NY Rules.

The Utility account number assigned to the customer is used for validation and must be present on all transactions.

This section displays the NY Rules for implementation of this segment.

REF~12~011231287654398

One or more examples.

Data Element Summary

	<u>Ref. Des.</u>	<u>Data Element</u>	<u>Name</u>	<u>Attributes</u>
Mand.	REF01	128	Reference Identification Qualifier 12 Billing Account REF02 contains the Utility-assigned account number for the customer.	M ID 2/3
Must Use	REF02	127	Reference Identification Utility assigned customer account number The utility account number must be supplied without intervening spaces or non-alphanumeric characters. (Characters added to aid in visible presentation on a bill, for example, should be removed)	X AN 1/30

This column documents differences between X12 and NY use for each data element:
 Mand. (Mandatory) – Required by X12
 Must Use – Required by NY
 Cond. (Conditional)
 Optional

These columns show the X12 attributes for each data element:
 M = Mandatory
 O = Optional
 X = Conditional

 AN = Alphanumeric
 N# = Implied Decimal
 ID = Identification
 R = Real
 DT = Date (CCYYMMDD)

 1/30 = Minimum 1, Maximum 30

503 Pricing History

Functional Group ID=**PH**

Introduction:

This Draft Standard for Trial Use contains the format and establishes the data contents of the Pricing History Transaction Set (503) for use within the context of an Electronic Data Interchange (EDI) environment. This bi-directional transaction set can be used by a purchasing party or vendor to request pricing history information for an item. The transaction set can also be used to respond to a request for pricing history information.

Heading:

Page No.	Pos. No.	Seg. ID	Name	Req. Des.	Max.Use	Loop Repeat	Notes and Comments
3	010	ST	Transaction Set Header	M	1		
4	020	BGN	Beginning Segment	M	1		
						LOOP ID - N1	>1
5	030	N1	Name (ESCO)	O	1		
						LOOP ID - N1	>1
6	030	N1	Name (Utility)	O	1		
						LOOP ID - N1	>1
7	030	N1	Name (Customer)	O	1		

Detail:

Page No.	Pos. No.	Seg. ID	Name	Req. Des.	Max.Use	Loop Repeat	Notes and Comments
						LOOP ID - LIN	>1
8	010	LIN	Item Identification	O	1		
9	060	REF	Reference Identification (Reject Response Reasons)	O	>1		
10	060	REF	Reference Identification (ESCO Customer Account Number)	O	>1		
11	060	REF	Reference Identification (Utility Account Number)	O	>1		
12	060	REF	Reference Identification (Utility Account Number for ESCO)	O	>1		
13	060	REF	Reference Identification (Previous Utility Account Number)	O	>1		
14	090	LS	Loop Header	O	1		
						LOOP ID - QTY	>1
15	100	QTY	Quantity	O	1		n1
16	110	AMT	Monetary Amount (Utility Comparison Amount)	O	>1		
17	110	AMT	Monetary Amount (Actual Total)	O	>1		
18	110	AMT	Monetary Amount (ESCO Supply Charges)	O	>1		
19	110	AMT	Monetary Amount (Utility Supply Comparison Charges)	O	>1		
20	120	REF	Reference Identification (Bill Option)	O	>1		

21	130	DTM	Date/Time Reference (Service Period Start Date)	O	>1
22	130	DTM	Date/Time Reference (Service Period End Date)	O	>1
23	280	LE	Loop Trailer	O	1
24	290	SE	Transaction Set Trailer	M	1
E-1			Examples		

Transaction Set Notes

1. The QTY loop can be used to convey pricing information when multiple quantities of the cited item were purchased.

Segment: **ST** Transaction Set Header
Position: 010
Loop:
Level: Heading
Usage: Mandatory
Max Use: 1
Purpose: To indicate the start of a transaction set and to assign a control number
Syntax Notes:
Semantic Notes: 1 The transaction set identifier (ST01) is used by the translation routines of the interchange partners to select the appropriate transaction set definition (e.g., 810 selects the Invoice Transaction Set).
Comments:
Notes: Required
 ST~503~0001

Data Element Summary

	<u>Ref. Des.</u>	<u>Data Element</u>	<u>Name</u>	<u>Attributes</u>
Must Use	ST01	143	Transaction Set Identifier Code Code uniquely identifying a Transaction Set 503 Pricing History	M ID 3/3
Must Use	ST02	329	Transaction Set Control Number Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set	M AN 4/9

Segment: **BGN** Beginning Segment
Position: 020
Loop:
Level: Heading
Usage: Mandatory
Max Use: 1
Purpose: To indicate the beginning of a transaction set
Syntax Notes: 1 If BGN05 is present, then BGN04 is required.
Semantic Notes: 1 BGN02 is the transaction set reference number.
 2 BGN03 is the transaction set date.
 3 BGN04 is the transaction set time.
 4 BGN05 is the transaction set time qualifier.
 5 BGN06 is the transaction set reference number of a previously sent transaction affected by the current transaction.

Comments:

Notes:

Required
 BGN*13*20150719000001*20150719 (Request)
 BGN*44*20150719000001*20150719***E1234520150718 (Reject Response)
 BGN*52*20150719000001*20150719***E1234520150718 (Accept Response)

Data Element Summary

	<u>Ref. Des.</u>	<u>Data Element</u>	<u>Name</u>	<u>Attributes</u>
Must Use	BGN01	353	Transaction Set Purpose Code Code identifying purpose of transaction set 13 Request 44 Rejection 52 Response to Historical Inquiry	M ID 2/2
Must Use	BGN02	127	Reference Identification Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier A unique transaction identifier number assigned by the originator of this transaction.	M AN 1/30
Must Use	BGN03	373	Date Date expressed as CCYYMMDD The date the transaction was created by the sender's application system in the form CCYYMMDD.	M DT 8/8
	BGN06	127	Reference Identification Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier This element is not used on a request transaction but is required in a response transaction. The BGN06 element in a Response transaction must contain the transaction id in the BGN02 element in the corresponding Request transaction.	O AN 1/30

Segment: **N1** Name (ESCO)
Position: 030
Loop: N1 Optional
Level: Heading
Usage: Optional
Max Use: 1
Purpose: To identify a party by type of organization, name, and code
Syntax Notes: 1 At least one of N102 or N103 is required.
 2 If either N103 or N104 is present, then the other is required.
Semantic Notes:
Comments: 1 This segment, used alone, provides the most efficient method of providing organizational identification. To obtain this efficiency the "ID Code" (N104) must provide a key to the table maintained by the transaction processing party.
 2 N105 and N106 further define the type of entity in N101.
Notes: Required
 N1~SJ~ESP COMPANY~9~123456789NY00

Data Element Summary

Ref. Des.	Data Element	Name	Attributes
Must Use N101	98	Entity Identifier Code Code identifying an organizational entity, a physical location, property or an individual SJ Service Provider Identifies the ESCO participating in this transaction.	M ID 2/3
N102	93	Name Free-form name Free Form ESCO Company Name Supplemental text information supplied, if desired, to provide "eyeball" identification of the ESCO. It is not necessary for successful completion of the transaction but may be provided by mutual agreement between trading partners.	X AN 1/60
Must Use N103	66	Identification Code Qualifier Code designating the system/method of code structure used for Identification Code (67) 1 D-U-N-S Number, Dun & Bradstreet 9 D-U-N-S+4, D-U-N-S Number with Four Character Suffix 24 Employer's Identification Number Federal Tax ID	X ID 1/2
Must Use N104	67	Identification Code Code identifying a party or other code The D-U-N-S number or the Federal Tax ID	X AN 2/80

Segment: **N1** Name (Utility)
Position: 030
Loop: N1 Optional
Level: Heading
Usage: Optional
Max Use: 1
Purpose: To identify a party by type of organization, name, and code
Syntax Notes: 1 At least one of N102 or N103 is required.
 2 If either N103 or N104 is present, then the other is required.
Semantic Notes:
Comments: 1 This segment, used alone, provides the most efficient method of providing organizational identification. To obtain this efficiency the "ID Code" (N104) must provide a key to the table maintained by the transaction processing party.
 2 N105 and N106 further define the type of entity in N101.
Notes: Required
 N1~8S~UTILITY COMPANY~1~123456789

Data Element Summary

	Ref. Des.	Data Element	Name	Attributes
Must Use	N101	98	Entity Identifier Code Code identifying an organizational entity, a physical location, property or an individual 8S Consumer Service Provider (CSP) Identifies the Utility participating in this transaction.	M ID 2/3
Must Use	N102	93	Name Free-form name Free Form Utility Company Name	X AN 1/60
Must Use	N103	66	Identification Code Qualifier Code designating the system/method of code structure used for Identification Code (67) 1 D-U-N-S Number, Dun & Bradstreet 9 D-U-N-S+4, D-U-N-S Number with Four Character Suffix 24 Employer's Identification Number Federal Tax ID	X ID 1/2
Must Use	N104	67	Identification Code Code identifying a party or other code The D-U-N-S number or the Federal Tax ID	X AN 2/80

Segment: **N1** Name (Customer)
Position: 030
Loop: N1 Optional
Level: Heading
Usage: Optional
Max Use: 1
Purpose: To identify a party by type of organization, name, and code
Syntax Notes:

- 1 At least one of N102 or N103 is required.
- 2 If either N103 or N104 is present, then the other is required.

Semantic Notes:
Comments:

- 1 This segment, used alone, provides the most efficient method of providing organizational identification. To obtain this efficiency the "ID Code" (N104) must provide a key to the table maintained by the transaction processing party.
- 2 N105 and N106 further define the type of entity in N101.

Notes: Request: Required
Accept Response: Required
Reject Response: Optional
N1~8R~CUSTOMER NAME

Data Element Summary

	<u>Ref. Des.</u>	<u>Data Element</u>	<u>Name</u>	<u>Attributes</u>
Must Use	N101	98	Entity Identifier Code Code identifying an organizational entity, a physical location, property or an individual 8R Consumer Service Provider (CSP) Customer Identifies the end use customer targeted by this transaction.	M ID 2/3
Must Use	N102	93	Name Free-form name Customer Name	X AN 1/60

Segment: **LIN** Item Identification

Position: 010
Loop: LIN Optional (Must Use)
Level: Detail
Usage: Optional (Must Use)
Max Use: 1
Purpose: To specify basic item identification data
Syntax Notes: 1 If either LIN04 or LIN05 is present, then the other is required.
 2 If either LIN06 or LIN07 is present, then the other is required.
 3 If either LIN08 or LIN09 is present, then the other is required.
 4 If either LIN10 or LIN11 is present, then the other is required.
 5 If either LIN12 or LIN13 is present, then the other is required.
 6 If either LIN14 or LIN15 is present, then the other is required.
 7 If either LIN16 or LIN17 is present, then the other is required.
 8 If either LIN18 or LIN19 is present, then the other is required.
 9 If either LIN20 or LIN21 is present, then the other is required.
 10 If either LIN22 or LIN23 is present, then the other is required.
 11 If either LIN24 or LIN25 is present, then the other is required.
 12 If either LIN26 or LIN27 is present, then the other is required.
 13 If either LIN28 or LIN29 is present, then the other is required.
 14 If either LIN30 or LIN31 is present, then the other is required.
Semantic Notes: 1 LIN01 is the line item identification
Comments: 1 See the Data Dictionary for a complete list of IDs.
 2 LIN02 through LIN31 provide for fifteen different product/service IDs for each item.
 For example: Case, Color, Drawing No., U.P.C. No., ISBN No., Model No., or SKU.
Notes: Required
 LIN~1~SH~EL~SH~PH

Data Element Summary

	<u>Ref. Des.</u>	<u>Data Element</u>	<u>Name</u>	<u>Attributes</u>
Must Use	LIN01	350	Assigned Identification Alphanumeric characters assigned for differentiation within a transaction set	O AN 1/20
Must Use	LIN02	235	Product/Service ID Qualifier Code identifying the type/source of the descriptive number used in Product/Service ID (234) SH Service Requested	M ID 2/2
Must Use	LIN03	234	Product/Service ID Identifying number for a product or service Only one commodity (Electric or Gas) may be indicated for each 503 transaction. EL Electric GAS Gas Service	M AN 1/48
Must Use	LIN04	235	Product/Service ID Qualifier Code identifying the type/source of the descriptive number used in Product/Service ID (234) SH Service Requested	X ID 2/2
Must Use	LIN05	234	Product/Service ID Identifying number for a product or service PH Pricing History	X AN 1/48

Segment: **REF** Reference Identification (Reject Response Reasons)
Position: 060
Loop: LIN Optional (Must Use)
Level: Detail
Usage: Optional
Max Use: >1
Purpose: To specify identifying information
Syntax Notes:

- 1 At least one of REF02 or REF03 is required.
- 2 If either C04003 or C04004 is present, then the other is required.
- 3 If either C04005 or C04006 is present, then the other is required.

Semantic Notes:

- 1 REF04 contains data relating to the value cited in REF02.

Comments:
Notes: Request: Not Used
Accept Response: Not Used
Reject Response: Required

Data Element Summary

	<u>Ref. Des.</u>	<u>Data Element</u>	<u>Name</u>	<u>Attributes</u>
Must Use	REF01	128	Reference Identification Qualifier Code qualifying the Reference Identification 7G Data Quality Reject Reason REF02 contains a reject reason code.	M ID 2/3
Must Use	REF02	127	Reference Identification Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier A13 Other See REF03 A76 Account # not valid A80 Service requested is not available A91 Account does not have service requested Requested commodity does not exist on account.	X AN 1/30
	REF03	352	Description A free-form description to clarify the related data elements and their content Additional text information may be sent in REF03 to aid in resolving a rejected transaction. REF03 must be sent if REF02 contains A13.	X AN 1/80

Segment: **REF** Reference Identification (ESCO Customer Account Number)
Position: 060
Loop: LIN Optional (Must Use)
Level: Detail
Usage: Optional
Max Use: >1
Purpose: To specify identifying information
Syntax Notes:

- 1 At least one of REF02 or REF03 is required.
- 2 If either C04003 or C04004 is present, then the other is required.
- 3 If either C04005 or C04006 is present, then the other is required.

Semantic Notes:

- 1 REF04 contains data relating to the value cited in REF02.

Comments:
Notes: Request: Optional
Accept Response: Required if provided on the request
Reject Response: Optional

Data Element Summary

	<u>Ref. Des.</u>	<u>Data Element</u>	<u>Name</u>	<u>Attributes</u>
Must Use	REF01	128	Reference Identification Qualifier Code qualifying the Reference Identification 11 Account Number REF02 is the ESCO Assigned account number for the customer.	M ID 2/3
Must Use	REF02	127	Reference Identification Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier ESCO's assigned account number for the customer.	X AN 1/30

Segment: **REF** Reference Identification (Utility Account Number)
Position: 060
Loop: LIN Optional (Must Use)
Level: Detail
Usage: Optional
Max Use: >1
Purpose: To specify identifying information
Syntax Notes:

- 1 At least one of REF02 or REF03 is required.
- 2 If either C04003 or C04004 is present, then the other is required.
- 3 If either C04005 or C04006 is present, then the other is required.

Semantic Notes:

- 1 REF04 contains data relating to the value cited in REF02.

Comments:
Notes:

Request: Required
Accept Response: Required
Reject Response: Required if provided on the request
REF~12~011231287654398
REF~12~011231287654398~U

Data Element Summary

	<u>Ref. Des.</u>	<u>Data Element</u>	<u>Name</u>	<u>Attributes</u>
Must Use	REF01	128	Reference Identification Qualifier Code qualifying the Reference Identification 12 Billing Account REF02 contains the Utility-assigned account number for the customer.	M ID 2/3
Must Use	REF02	127	Reference Identification Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier Utility assigned customer account number The utility account number must be supplied without intervening spaces or non-alphanumeric characters. (Characters added to aid in visible presentation on a bill, for example, should be removed)	X AN 1/30
	REF03	352	Description A free-form description to clarify the related data elements and their content The REF03 element in the REF*12 segment should only be sent to, or received by, a utility that designated such in its Utility Maintained EDI Guide when the commodity indicated in the LIN segment is Electric but the request pertains only to the un-metered portion of the electric service on the account. This element should not be sent when the LIN request pertains to all electric service on the account. U Un-Metered Service	X AN 1/80

Segment: **REF** Reference Identification (Utility Account Number for ESCO)

Position: 060

Loop: LIN Optional (Must Use)

Level: Detail

Usage: Optional

Max Use: >1

Purpose: To specify identifying information

Syntax Notes:

- 1 At least one of REF02 or REF03 is required.
- 2 If either C04003 or C04004 is present, then the other is required.
- 3 If either C04005 or C04006 is present, then the other is required.

Semantic Notes:

- 1 REF04 contains data relating to the value cited in REF02.

Comments:

Notes:

Request: Conditional
Response: Conditional

This segment is used to communicate an account number assigned by the Utility to the ESCO and may be sent with the mutual agreement of the parties.

REF~AJ~3134597

Data Element Summary

	<u>Ref. Des.</u>	<u>Data Element</u>	<u>Name</u>	<u>Attributes</u>
Must Use	REF01	128	Reference Identification Qualifier Code qualifying the Reference Identification AJ Accounts Receivable Customer Account REF02 contains the Utility assigned account number for the ESCO	M ID 2/3
Must Use	REF02	127	Reference Identification Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier Utility account number for the ESCO	X AN 1/30

Segment: **REF** Reference Identification (Previous Utility Account Number)

Position: 060

Loop: LIN Optional (Must Use)

Level: Detail

Usage: Optional

Max Use: >1

Purpose: To specify identifying information

Syntax Notes:

- 1 At least one of REF02 or REF03 is required.
- 2 If either C04003 or C04004 is present, then the other is required.
- 3 If either C04005 or C04006 is present, then the other is required.

Semantic Notes:

- 1 REF04 contains data relating to the value cited in REF02.

Comments:

Notes: Conditional

This segment must be sent when the utility assigned account number for the customer has changed in the last 90 days.

REF~45~9194132485705971

Data Element Summary

	<u>Ref. Des.</u>	<u>Data Element</u>	<u>Name</u>	<u>Attributes</u>
Must Use	REF01	128	Reference Identification Qualifier Code qualifying the Reference Identification 45 Old Account Number REF02 is the Utility's previous account number for the customer.	M ID 2/3
Must Use	REF02	127	Reference Identification Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier Previous Utility Account Number for the Customer. This segment would be sent, for example, when a change in meter reading routes results in a change in the account number assigned to the customer.	X AN 1/30

Segment: **LS** Loop Header

Position: 090

Loop: LIN Optional (Must Use)

Level: Detail

Usage: Optional

Max Use: 1

Purpose: To indicate that the next segment begins a loop

Syntax Notes:

Semantic Notes: 1 One loop may be nested contained within another loop, provided the inner nested loop terminates before the outer loop. When specified by the standard setting body as mandatory, this segment in combination with "LE", must be used. It is not to be used if not specifically set forth for use. The loop identifier in the loop header and trailer must be identical. The value for the identifier is the loop ID of the required loop segment. The loop ID number is given on the transaction set diagram in the appropriate ASC X12 version/release.

Comments: 1 See Figures Appendix for an explanation of the use of the LS and LE segments.

Notes: Request: Not Used
 Accept Response: Required
 Reject Response: Not Used
 LS*QTY

Data Element Summary

Ref.	Data	Name	Attributes
Des.	Element		
Must Use	LS01	447 Loop Identifier Code	M AN 1/6
		The loop ID number given on the transaction set diagram is the value for this data element in segments LS and LE	
		QTY Start of QTY Looping	

Segment: QTY Quantity
Position: 100
Loop: QTY Optional
Level: Detail
Usage: Optional
Max Use: 1
Purpose: To specify quantity information
Syntax Notes: 1 At least one of QTY02 or QTY04 is required.
 2 Only one of QTY02 or QTY04 may be present.
Semantic Notes: 1 QTY04 is used when the quantity is non-numeric.
Comments:
Notes:

Request: Not Used
 Accept Response: Required
 Reject Response: Not Used
 QTY*2M***NV

Data Element Summary

	<u>Ref.</u> <u>Des.</u>	<u>Data</u> <u>Element</u>	<u>Name</u>	<u>Attributes</u>
Must Use	QTY01	673	Quantity Qualifier Code specifying the type of quantity 2M Comparison Period	M ID 2/2
Must Use	QTY04	61	Free-Form Message Free-form information NV No Value	X AN 1/30

Segment: **AMT** Monetary Amount (Utility Comparison Amount)
Position: 110
Loop: QTY Optional
Level: Detail
Usage: Optional
Max Use: >1
Purpose: To indicate the total monetary amount
Syntax Notes:
Semantic Notes:
Comments:
Notes:

Request: Not Used
 Accept Response: Required
 Reject Response: Not Used
 AMT*AD*102.15

Data Element Summary

	<u>Ref.</u> <u>Des.</u>	<u>Data</u> <u>Element</u>	<u>Name</u>	<u>Attributes</u>
Must Use	AMT01	522	Amount Qualifier Code Code to qualify amount AD Adjusted Total Utility Total Charges for Comparison (Utility Supply, Utility Delivery - Includes distribution, generation, taxes, etc.)	M ID 1/3
Must Use	AMT02	782	Monetary Amount Monetary amount	M R 1/18

Segment: **AMT** Monetary Amount (Actual Total)
Position: 110
Loop: QTY Optional
Level: Detail
Usage: Optional
Max Use: >1
Purpose: To indicate the total monetary amount
Syntax Notes:
Semantic Notes:
Comments:
Notes:

Request: Not Used
 Accept Response: Required
 Reject Response: Not Used
 AMT*CX*98.1

Data Element Summary

	Ref.	Data		Attributes
	Des.	Element	Name	
Must Use	AMT01	522	Amount Qualifier Code	M ID 1/3
			Code to qualify amount	
			CX	Actual
				Actual Total Charges (ESCO Supply, Utility Delivery - Includes distribution, generation, taxes, etc.)
Must Use	AMT02	782	Monetary Amount	M R 1/18
			Monetary amount	

Segment: **AMT** Monetary Amount (ESCO Supply Charges)
Position: 110
Loop: QTY Optional
Level: Detail
Usage: Optional
Max Use: >1
Purpose: To indicate the total monetary amount
Syntax Notes:
Semantic Notes:
Comments:
Notes:

Request: Not Used
 Accept Response: Required
 Reject Response: Not Used
 AMT*T3*52

Data Element Summary

	Ref.	Data	Attributes
	Des.	Element Name	
Must Use	AMT01	522 Amount Qualifier Code Code to qualify amount T3 Total Submitted Charges ESCO Supply Charges (Includes generation, taxes).	M ID 1/3
Must Use	AMT02	782 Monetary Amount Monetary amount	M R 1/18

Segment: **AMT** Monetary Amount (Utility Supply Comparison Charges)
Position: 110
Loop: QTY Optional
Level: Detail
Usage: Optional
Max Use: >1
Purpose: To indicate the total monetary amount
Syntax Notes:
Semantic Notes:
Comments:
Notes:

Request: Not Used
 Accept Response: Required
 Reject Response: Not Used
 AMT*TR*56.05

Data Element Summary

	Ref.	Data	Name	Attributes
	Des.	Element		
Must Use	AMT01	522	Amount Qualifier Code	M ID 1/3
			Code to qualify amount	
			TR	Target Cost
				Utility Supply Charges for Comparison (Includes generation, taxes).
Must Use	AMT02	782	Monetary Amount	M R 1/18
			Monetary amount	

Segment: **REF** Reference Identification (Bill Option)
Position: 120
Loop: QTY Optional
Level: Detail
Usage: Optional
Max Use: >1
Purpose: To specify identifying information
Syntax Notes:

- 1 At least one of REF02 or REF03 is required.
- 2 If either C04003 or C04004 is present, then the other is required.
- 3 If either C04005 or C04006 is present, then the other is required.

Semantic Notes:

- 1 REF04 contains data relating to the value cited in REF02.

Comments:
Notes:

Request: Not Used
Accept Response: Required
Reject Response: Not Used
REF*BLT*LDC
REF*BLT*DUAL

Data Element Summary

	<u>Ref. Des.</u>	<u>Data Element</u>	<u>Name</u>	<u>Attributes</u>
Must Use	REF01	128	Reference Identification Qualifier Code qualifying the Reference Identification BLT Billing Type Bill Presenter	M ID 2/3
Must Use	REF02	127	Reference Identification Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier DUAL Each Party Presents a Separate Bill LDC Utility is the Consolidated Bill Presenter	X AN 1/30

Segment: **DTM** Date/Time Reference (Service Period Start Date)

Position: 130

Loop: QTY Optional

Level: Detail

Usage: Optional

Max Use: >1

Purpose: To specify pertinent dates and times

- Syntax Notes:**
- 1 At least one of DTM02 DTM03 or DTM05 is required.
 - 2 If DTM04 is present, then DTM03 is required.
 - 3 If either DTM05 or DTM06 is present, then the other is required.

Semantic Notes:

Comments:

Notes:

Request: Not Used
Accept Response: Required
Reject Response: Not Used
DTM*150*20150215

Data Element Summary

	<u>Ref.</u>	<u>Data</u>	<u>Attributes</u>
	<u>Des.</u>	<u>Element</u> <u>Name</u>	
Must Use	DTM01	374 Date/Time Qualifier	M ID 3/3
		Code specifying type of date or time, or both date and time	
		150 Service Period Start	
Must Use	DTM02	373 Date	X DT 8/8
		Date expressed as CCYYMMDD	

Segment: **DTM** Date/Time Reference (Service Period End Date)

Position: 130

Loop: QTY Optional

Level: Detail

Usage: Optional

Max Use: >1

Purpose: To specify pertinent dates and times

- Syntax Notes:**
- 1 At least one of DTM02 DTM03 or DTM05 is required.
 - 2 If DTM04 is present, then DTM03 is required.
 - 3 If either DTM05 or DTM06 is present, then the other is required.

Semantic Notes:

Comments:

Notes:

Request: Not Used
Accept Response: Required
Reject Response: Not Used
DTM*151*20150313

Data Element Summary

	<u>Ref.</u>	<u>Data</u>	<u>Element</u>	<u>Name</u>	<u>Attributes</u>
Must Use	DTM01	374	Date/Time Qualifier	Code specifying type of date or time, or both date and time	M ID 3/3
				151 Service Period End	
Must Use	DTM02	373	Date	Date expressed as CCYYMMDD	X DT 8/8

Segment: **LE** Loop Trailer

Position: 280

Loop: LIN Optional (Must Use)

Level: Detail

Usage: Optional

Max Use: 1

Purpose: To indicate that the loop immediately preceding this segment is complete

Syntax Notes:

Semantic Notes: 1 One loop may be nested contained within another loop, provided the inner nested loop terminates before the other loop. When specified by the standards setting body as mandatory, this segment in combination with "LS", must be used. It is not to be used if not specifically set forth for use. The loop identifier in the loop header and trailer must be identical. The value for the identifier is the loop ID of the required loop beginning segment. The loop ID number is given on the transaction set diagram in the appropriate ASC X12 version/release.

Comments: 1 See Figures Appendix for an explanation of the use of the LE and LS segments.

Notes: Request: Not Used
 Accept Response: Required
 Reject Response: Not Used
 LE*QTY

Data Element Summary

	<u>Ref.</u>	<u>Data</u>	<u>Name</u>	<u>Attributes</u>
Must Use	LE01	447	Loop Identifier Code	M AN 1/6
			The loop ID number given on the transaction set diagram is the value for this data element in segments LS and LE	
			QTY	End of QTY Looping

Segment: **SE** Transaction Set Trailer
Position: 290
Loop:
Level: Detail
Usage: Mandatory
Max Use: 1
Purpose: To indicate the end of the transaction set and provide the count of the transmitted segments (including the beginning (ST) and ending (SE) segments)

Syntax Notes:

Semantic Notes:

Comments: 1 SE is the last segment of each transaction set.

Notes: Required

SE*40*0001

Data Element Summary

	Ref.	Data	Attributes
	Des.	Element Name	
Must Use	SE01	96 Number of Included Segments	M N0 1/10
		Total number of segments included in a transaction set including ST and SE segments	
Must Use	SE02	329 Transaction Set Control Number	M AN 4/9
		Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set	

Scenario 1A: ESCO Request

ST*503*0001	
BGN*13*2015050800001*20150508	13 = Request
N1*8S*UTILITY NAME*1*007909111**40	
N1*SJ*ESCO NAME*9*123456798ABCD**41	
N1*8R*CUSTOMER NAME	
LIN*PH2015050800001*SH*EL*SH*PH	
REF*12*9437619003	Utility Account Number
SE*8*0001	

Scenario 1A a.: Sample Reject Response

ST*503*0001	
BGN*44* PHR20150509-009879*20150509	44 = Reject
N1*8S*UTILITY NAME*1*007909111**40	
N1*SJ*ESCO NAME*9*123456798ABCD**41	
N1*8R*CUSTOMER NAME	
LIN*PH2015050800001*SH*EL*SH*PH	
REF*12*9437619003	Utility Account Number
REF*7G*A76*ACCOUNT NOT FOUND	Rejection Reason Code and Text
SE*9*0001	

Scenario 1A b.: Sample Accept Response for 3 Months

ST*503*0001	
BGN*52*PHR20150509-009879*20150509 ***2015050800001	
N1*8S*UTILITY NAME*1*007909111**41	
N1*SJ*ESCO NAME*9*123456798ABCD**40	
N1*8R*CUSTOMER NAME	
LIN*PH2015050800001*SH*EL*SH*PH	
REF*12*9437619003	
LS*QTY	
QTY*2M***NV	First Month
AMT*AD*102.15	Utility Comparison Amount
AMT*CX*98.1	Actual Total
AMT*T3*52	ESCO Charges
AMT*TR*56.05	Utility Supply Comparison Charges
REF*BLT*LDC	Utility Consolidated Billing
DTM*150*20150103	Service Period Start Date
DTM*151*20150203	Service Period End Date
QTY*2M***NV	Second Month
AMT*AD*75	Utility Comparison Amount
AMT*CX*0	Actual Total
AMT*T3*0	ESCO Charges (Example ESCO Missed the Bill Window)
AMT*TR*40.19	Utility Supply Comparison Charges
REF*BLT*LDC	Utility Consolidated Billing
DTM*150*20150303	Service Period Start Date
DTM*151*20150403	Service Period End Date
QTY*2M***NV	Third Month
AMT*AD*110.99	Utility Comparison Amount

AMT*TR*59.05	Utility Supply Comparison Charges
REF*BLT*DUAL	Dual Billing
DTM*150*20150403	Service Period Start Date
DTM*151*20150503	Service Period End Date
LE*QTY	
SE*32*0001	